



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/038,590	01/03/2002	Thomas E. Creamer	BOC9-2000-0099 (223)	1444
40987	7590	03/10/2006		
AKERMAN SENTERFITT P. O. BOX 3188 WEST PALM BEACH, FL 33402-3188			EXAMINER EL CHANTI, HUSSEIN A	
			ART UNIT 2157	PAPER NUMBER

DATE MAILED: 03/10/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

**Office Action Summary**

Application No.

10/038,590

Applicant(s)

CREAMER ET AL.

Examiner

Hussein A. El-chanti

Art Unit

2157

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --  
Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

**Status**

- 1) ☒ Responsive to communication(s) filed on 12 January 2006.  
2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.  
3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

**Disposition of Claims**

- 4) ☒ Claim(s) 1-13 is/are pending in the application.  
4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.  
5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.  
6) ☒ Claim(s) 1-13 is/are rejected.  
7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.  
8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

**Application Papers**

- 9) ☐ The specification is objected to by the Examiner.  
10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).  
11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

**Priority under 35 U.S.C. § 119**

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).  
a) ☐ All b) ☐ Some \* c) ☐ None of:  
1. ☐ Certified copies of the priority documents have been received.  
2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.  
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).  
\* See the attached detailed Office action for a list of the certified copies not received.

**Attachment(s)**

- 1) ☒ Notice of References Cited (PTO-892)  
2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)  
3) ☐ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)  
Paper No(s)/Mail Date \_\_\_\_\_.  
4) ☐ Interview Summary (PTO-413)  
Paper No(s)/Mail Date. \_\_\_\_\_.  
5) ☐ Notice of Informal Patent Application (PTO-152)  
6) ☐ Other: \_\_\_\_\_.

***Response to Amendment***

1. This action is responsive to amendment received on Jan. 12, 2006. Claims 1, 2, 4-7 and 10-13 were amended. Claims 1-13 are pending examination.

***Claim Objections***

2. Claims 10 and 12 are objected to for minor informalities. Claims 10 and 12 use the term "JAIN" without defining what the term stands for. Appropriate correction is required.

***Claim Rejections - 35 USC § 102***

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

2. Claims 1-13 are rejected under 35 U.S.C. 102(e) as being anticipated by Baker et al., U.S. Patent No. 6,956,845 (referred to hereafter as Baker).

As to claim 1, Baker teaches a visual tool for creating JAIN compliant telecommunication service component for use in a service logic execution environment (SLEE), comprising:

a first visual smartguide for creating JAIN compliant service building blocks configured to receive and transmit telecommunication events to and from at least one JAIN configured to receive and transmit telecommunication events to and from at least

one JAIN configured protocol stack through a JAIN compliant signaling layer, each said JAIN compliant service building block comprising at least one telecommunication event handler for handling specific telecommunications events received from an event routing bus in said SLEE, wherein said SLEE is configured for compatibility with a JAVA API for JAIN specification for communicating with said JAIN blocks (see fig. 4, col. 2 lines 60-col. 3 lines 12 and col. 3 lines 37-50, user defines events for routing calls using a Java compatible GUI); and,

a second visual JAIN smartguide for creating deployment descriptors for said created service building blocks, each said deployment descriptor comprising a service description describing parameters for loading an instance of a JAIN block in said SLEE and a list of supported telecommunication events which can be handled by an associated service building block (see col. 12 lines 20-42 and col. 9 lines 58-col. 10 lines 12, user may create routing rules and customize reports and notifications that notifies user of traffic faults and traffic analysis using a browser); and,

a visual composition interface through which visual representations of said service building blocks are arranged to form the service component wherein said extended JAIN component configures itself using a deployment descriptor upon identifying underlying resources that are available when the JAIN service component is unaware of the underlying JAIN protocol resource within the SLEE (see col. 12 lines 20-42 and col. 9 lines 58-col. 10 lines 12).

As to claim 2, Baker teaches the visual tool of claim 1, wherein said service building blocks are software components (see col. 3 lines 37-50).

As to claim 3, Baker teaches the visual tool of claim 2, wherein said software components are Java beans (see col. 3 lines 37-50).

As to claim 4, Baker teaches the visual tool of claim 1, wherein said first visual smartguide comprises at least one selectable procedure for generating a plurality of utility classes for inclusion in a service building block (see col. 12 lines 20-42 and col. 9 lines 58-col. 10 lines 12).

As to claim 5, Baker teaches the visual tool of claim 1, wherein said first visual smartguide comprises a database of event handlers from which said at least one event handler can be selected for addition to said service building block (see col. 12 lines 20-42).

As to claim 6, Baker teaches the visual tool of claim 1, wherein said second visual smartguide comprises a database of event handlers from which a list of supported events for inclusion in said deployment descriptor can be constructed (see col. 12 lines 20-42).

As to claim 7, Baker teaches the visual tool of claim 1, further comprising a service container which encapsulates the service component (see col. 7 lines 4-23).

As to claim 8, Baker teaches the visual tool of claim 7, wherein said service container further comprises meta-information for exposing container characteristics for said service container (see col. 12 lines 20-42 and col. 9 lines 58-col. 10 lines 12).

As to claim 9, Baker teaches the visual tool of claim 8, wherein said meta-information comprises a plurality of Java Native Definition Interface (JNDI) environment entries (see col. 3 lines 37-50).

As to claim 10, Baker teaches a method for visually generating a service component, said method comprising: a specifying at least one service building block, said specification comprising visually selecting a plurality of event handlers for inclusion in said at least one service building block; exporting said at least one service building block, said exporting step producing a deployment descriptor which describes events for which said at least one service building block has been configured to handle (see fig. 4, col. 2 lines 60-col. 3 lines 12 and col. 3 lines 37-50, user defines events for routing calls using a Java compatible GUI);

visually arranging said at least one service block, said arrangement forming the service component; and, configuring the service component produced by said visual arrangement for insertion in a service logic execution environment wherein said extended JAIN component configures itself using a deployment descriptor upon identifying underlying resources that are available when the JAIN service component is unaware of the underlying JAIN protocol resource within the SLEE (SLEE) in an advanced intelligent network (see col. 12 lines 20-42 and col. 9 lines 58-col. 10 lines 12,

user may create routing rules and customize reports and notifications that notifies user of traffic faults and traffic analysis using a browser.

As to claim 11, Baker teaches the method of claim 10, further comprising the step of encapsulating the service component in a service application container (see col. 12 lines 20-42 and col. 9 lines 58-col. 10 lines 12).

As to claim 12, Baker teaches a machine readable storage, having stored thereon a computer program for visually generating a service component, said computer program having a plurality of code sections executable by a machine for causing the machine to perform the steps of: specifying at least one service building block, said specification comprising visually selecting a plurality of event handlers for inclusion in said at least one service building block (see fig. 4, col. 2 lines 60-col. 3 lines 12 and col. 3 lines 37-50, user defines events for routing calls using a Java compatible GUI);

exporting said at least one service building block, said exporting step producing a deployment descriptor which describes events for which said at least one service building block has been configured to handle; visually arranging said at least one service block, said arrangement forming the service component; and, configuring the service component produced by said visual arrangement for insertion in a service logic execution environment (SLEE) in an advanced intelligent network wherein said extended JAIN component configures itself using a deployment descriptor upon identifying underlying resources that are available when the JAIN service component is

unaware of the underlying JAIN protocol resource within the SLEE (see col. 12 lines 20-42 and col. 9 lines 58-col. 10 lines 12, user may create routing rules and customize reports and notifications that notifies user of traffic faults and traffic analysis using a browser.

As to claim 13, Baker teaches the machine readable storage of claim 12, further comprising the step of encapsulating the service component in a service application container (see col. 12 lines 20-42 and col. 9 lines 58-col. 10 lines 12).

3. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

#### ***Response to Arguments***

4. Applicant's arguments have been fully considered but are moot in view of the new grounds of rejection.

5. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire **THREE MONTHS** from the mailing date of this action. In the event a first reply is filed within **TWO MONTHS** of the mailing date of this final action and the advisory action is not mailed until after the end of the **THREE-MONTH** shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of



the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.


6. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Hussein A. El-chanti whose telephone number is (571)272-3999. The examiner can normally be reached on Mon-Fri 8:30-5:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Ario Etienne can be reached on (571)272-4001. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Hussein El-chanti

Feb. 23, 2006

  
ARIO ETIENNE  
PRIMARY EXAMINER